





▲ **Monument Description:** 0.5' x 0.6' limestone found 2" below grade with a 1/2" rebar witness to the west
State Plane Grid Coordinates: Northing: 1363948.5', Easting: 3108355.6'

SHEET 1 OF 2	MONUMENT RECORD CORNER ID: CICr_I25	Section Corner Section 32 & 33- T07N-R01W Clear Creek Township Monroe County, Indiana	 OFFICE OF THE MONROE COUNTY SURVEYOR Trohn Enright-Randolph Monroe County Surveyor Rachel Savich Oser Professional Surveyor 119 West 7th Street, Bloomington, IN 47404 (812) 349-2570
-----------------------	---	---	--




Unless otherwise noted, photos were taken on 9/13/2017 with an iPhone 6s



ORIGIN: The original GLO surveyor set a post at this corner. The Monroe County Surveyor, Andrew Dillman, planted a limestone "five links south of the proper position" of this corner in April of 1887 per (SurveyID 25 - Monroe County Survey Book 2, pages 436-438). Stones of variable shapes and sizes, most without any markings, were found at several of the other corners perpetuated by the 1887 Dillman survey. The reason for setting the stone 5 links south of the proper position was not explained in the survey. It is our assumption that the stone found is the stone that was set by Andrew Dillman. Due to the longstanding use of the stone we accepted it as the corner with 3.3 feet of associated uncertainty.

HISTORY: A stone was found and accepted at this corner in 1958 per the State Road 37 Right-Of-Way Plans (SurveyID 76). In 2000, Ben Bledsoe called for a 5/8" rebar found at this corner, with no mention of a stone (SurveyID 65 - Instrument No. 2000013588). The measured distance from the rebar referenced on the Bledsoe survey and a Harrison Monument found at the Northwest corner of the Northeast quarter of Section 5-T6N-R1W is less than 0.3' from the distance measured between the same Harrison Monument and the 1/2" rebar (#83) found witnessing the stone as shown on this survey. The stone was accepted by the Monroe County Surveyor Review Board on February 9, 2010 and by Marty James on a 2016 retracement boundary survey in the Northeast Quarter of Section 32 (SurveyID 67 - Instrument No. 2016013475).



Trohn Enright-Randolph
Trohn Enright-Randolph
Monroe County Surveyor



Accepted by the Monroe
County Surveyor Review Board
on November 21, 2017



Rachel Oser
Rachel Savich Oser, State of Indiana
Professional Surveyor No. 21100022

SHEET 2 OF 2	MONUMENT RECORD CORNER ID: C1Cr_I25	Section Corner Section 32 & 33- T07N-R01W Clear Creek Township Monroe County, Indiana	 MONROE COUNTY SURVEYOR'S OFFICE Trohn Enright-Randolph Monroe County Surveyor Rachel Savich Oser Professional Surveyor 119 West 7th Street, Bloomington, IN 47404 (812) 349-2570
-----------------------	---	---	---

MONUMENT RECORD
State of Indiana - County of Monroe

Section: 32

Township: 7 North


Range: 1 West

Corner ID: ClCr I-25

Monument Description & Remarks: Limestone 2" below ground with 5/8" Rebar witness to the West. Survey Sign 4ft above ground at pt. B

References On File: Fink, Roberts & Petrie, INC. survey, State Highway Project no. ST-F-92 (1969), on file in Surveyor Office

RECOVERY TIE DRAWING
Field Book 43 Page No. 43




I, Kevin P. Enright, Monroe County Surveyor, hereby certify that this document was prepared under my direction in accordance with the provisions of section 36-2-12-11 of the Indiana Code; and the above data is given under my hand and seal this 2nd day of February, 2010.

Kevin P. Enright

Administered by the Monroe County Surveyor Review Board

Date: _____





Smallwood &
Pickle
Cemetery
Ingram Rd. est 1895

CL Gr I-25
02/02/2010